

2200-85 (850 x 2000 mm)

[Dashed red line] Visible size, sewing line (850 x 2000 mm)

[Orange border] Full size (900 x 2050 mm)

[Green border] Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 900 x 2050 mm

2200-85 (850 x 2200 mm)

[Dashed red line] Visible size, sewing line (850 x 2200 mm)



[Orange border] Full size (900 x 2250 mm)

[Green border] Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 900 x 2250 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:
- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention



2200-100-200 (1000 x 2000 mm)

 Visible size, sewing line (1000 x 2000 mm)


 Full size (1050 x 2050 mm)

 Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 1050 x 2050 mm

2200-100-220 (1000 x 2200 mm)

 Visible size, sewing line (1000 x 2200 mm)

 Full size (1050 x 2250 mm)

 Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 1050 x 2250 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention

