

ZIP-BSD061230

 Visible size, sewing line (612 x 2220 mm)

 Full size (660 x 2280 mm)


 Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 660 x 2280 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention



ZIP-BSD092230

 Visible size, sewing line (917 x 2220 mm)

 Full size (970 x 2280 mm)


 Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 970 x 2280 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention



ZIP-BSD122230

 Visible size, sewing line (1222 x 2220 mm)

 Full size (1270 x 2280 mm)


 Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 1270 x 2280 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention



ZIP-BSD153230

 Visible size, sewing line (1526 x 2220 mm)

 Full size (1570 x 2280 mm)

 Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 1570 x 2280 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention