

 Visible size, sewing line (3240 x 1500 mm)


 Full size (3290 x 1550 mm)

 Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 3290 x 1550 mm

General:  
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:  
- Guidelines are indicated in the relevant (product) template  
- Transfer in CMYK colours  
- Resolution 72-125 dpi  
- Transfer text in letter outlines  
- Enclose images in definitive document  
- Save as PDF (printing quality) without cutting indications  
- Possibly include colour profile/execution intention



#### ZIP-C400150

 Visible size, sewing line (4340 x 1500 mm)


 Full size (4390 x 1550 mm)

 Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 4390 x 1550 mm

General:  
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:  
- Guidelines are indicated in the relevant (product) template  
- Transfer in CMYK colours  
- Resolution 72-125 dpi  
- Transfer text in letter outlines  
- Enclose images in definitive document  
- Save as PDF (printing quality) without cutting indications  
- Possibly include colour profile/execution intention



#### ZIP-C300230

Visible size, sewing line (3220 x 2280 mm)


Full size (3270 x 2330 mm)

Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 3270 x 2330 mm

General:  
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:  
- Guidelines are indicated in the relevant (product) template  
- Transfer in CMYK colours  
- Resolution 72-125 dpi  
- Transfer text in letter outlines  
- Enclose images in definitive document  
- Save as PDF (printing quality) without cutting indications  
- Possibly include colour profile/execution intention



#### ZIP-C500150

Visible size, sewing line (5440 x 1500 mm)


Full size (5490 x 1550 mm)

Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 2745 x 775 mm (scale 1:2)

General:  
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:  
- Guidelines are indicated in the relevant (product) template  
- Transfer in CMYK colours  
- Resolution 72-125 dpi  
- Transfer text in letter outlines  
- Enclose images in definitive document  
- Save as PDF (printing quality) without cutting indications  
- Possibly include colour profile/execution intention



#### ZIP-C400230

 Visible size, sewing line (4370 x 2280 mm)

 Full size (4430 x 2340 mm)


 Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered **4430 x 2340 mm**

General:  
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention



#### ZIP-C500230

 Visible size, sewing line (5410 x 2280 mm)

 Full size (5460 x 2330 mm)

 Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered **2730 x 1165 mm** (scale 1:2)

General:  
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention