

100x228

ZIP-B100230

Visible size, sewing line (1000 x 2280 mm)

Full size (1050 x 2330 mm)


Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 1050 x 2330 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention



150x228

ZIP-B150230

Visible size, sewing line (1500 x 2280 mm)

Full size (1550 x 2330 mm)

Safety zone


Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 1550 x 2330 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention

200x228



ZIP-B200230

 Visible size, sewing line (2000 x 2280 mm)

 Full size (2050 x 2330 mm)

 Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 2050 x 2330 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:
- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention

250x228



ZIP-B250230

 Visible size, sewing line (2500 x 2280 mm)

 Full size (2550 x 2330 mm)


 Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 2550 x 2330 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:
- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention

300x228



ZIP-B300230

Visible size, sewing line (3000 x 2280 mm)

Full size (3050 x 2330 mm)

Safety zone


Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 3050 x 2330 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention

400x228



ZIP-B400230

Visible size, sewing line (4000 x 2280 mm)

Full size (4050 x 2330 mm)


Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 4050 x 2330 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention



ZIP-B500230

Visible size, sewing line (5000 x 2280 mm)

Full size (5050 x 2330 mm)


Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 2525 x 1165 mm (scale 1:2)

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention



ZIP-B600230

Visible size, sewing line (6000 x 2280 mm)

Full size (6050 x 2330 mm)

Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 3025 x 1165 mm (scale 1:2)

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention