

100 x 230

ZIP-S100230

[---] Visible size, sewing line (1000 x 2280 mm)

[] Full size (1050 x 2330 mm)


[] Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 1050 x 2330 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention



150 x 230

ZIP-S150230

[---] Visible size, sewing line (1500 x 2280 mm)

[] Full size (1550 x 2330 mm)

[] Safety zone


Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 1550 x 2330 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention

200 x 230



ZIP-S200230

 Visible size, sewing line (2000 x 2280 mm)

 Full size (2050 x 2330 mm)


 Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 2050 x 2330 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:
- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention

250 x 230



ZIP-S250230

 Visible size, sewing line (2500 x 2280 mm)


 Full size (2550 x 2330 mm)

 Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 2550 x 2330 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:
- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention



300 x 230

ZIP-S300230

Visible size, sewing line (3000 x 2280 mm)

Full size (3060 x 2340 mm)

Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered **3060 x 2340 mm**

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention



400 x 230

ZIP-S400230

Visible size, sewing line (4000 x 2280 mm)

Full size (4060 x 2340 mm)

Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered **4060 x 2340 mm**

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention



ZIP-S500230

Visible size, sewing line (5000 x 2280 mm)

Full size (5060 x 2340 mm)


Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered **5060 x 2340 mm**

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention



ZIP-S600230

Visible size, sewing line (6000 x 2280 mm)

Full size (6050 x 2330 mm)


Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered **3025 x 1165 mm (scale 1:2)**

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:

- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention




ZIP-S150150

- Visible size, sewing line (1500 x 1500 mm)
- Full size (1550 x 1550 mm)
- Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 1550 x 1550 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

- Pay attention to the following:
- Guidelines are indicated in the relevant (product) template
 - Transfer in CMYK colours
 - Resolution 72-125 dpi
 - Transfer text in letter outlines
 - Enclose images in definitive document
 - Save as PDF (printing quality) without cutting indications
 - Possibly include colour profile/execution intention




ZIP-S200150

- Visible size, sewing line (2000 x 1500 mm)
- Full size (2050 x 1550 mm)
- Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 2050 x 1550 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

- Pay attention to the following:
- Guidelines are indicated in the relevant (product) template
 - Transfer in CMYK colours
 - Resolution 72-125 dpi
 - Transfer text in letter outlines
 - Enclose images in definitive document
 - Save as PDF (printing quality) without cutting indications
 - Possibly include colour profile/execution intention



250 x150

ZIP-S250150

---- Visible size, sewing line (2500 x 1500 mm)

---- Full size (2550 x 1550 mm)

---- Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 2550 x 1550 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:
- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention



300 x150

ZIP-S300150

---- Visible size, sewing line (3000 x 1500 mm)

---- Full size (3050 x 1550 mm)

---- Safety zone

Note: After designing, delete all guidelines and text and submit the file to the format to be delivered 3050 x 1550 mm

General:
Our Upload can process PDF (preferably) and JPG-files.

Pay attention to the following:
- Guidelines are indicated in the relevant (product) template
- Transfer in CMYK colours
- Resolution 72-125 dpi
- Transfer text in letter outlines
- Enclose images in definitive document
- Save as PDF (printing quality) without cutting indications
- Possibly include colour profile/execution intention